

Kube Network Configuration Files Kutay

Dosya burda : [flannel-config.zip](#) (Used for Private System)
[replace.flanel.with.calico .ZIP](#)

[crayon-66371b2c38004259620987/]

[crayon-66371b2c3800a661085844/]

Flannel Configuration

As we can see in the [K3s documentation](#), K3s uses flannel as the CNI by default:

Without setting the `--flannel-iface` and `--node-ip` flags, flannel will select the first interface (ens4: 10.156.15.197): **k3S run yaparken Command line – Bunlari girmen gerekiyor !**

```
kubectl get po --namespace kube-system -l app=flannel
```

[crayon-66371b2c38aac332354416/]

If deployment works good

[crayon-66371b2c38ab1398792104/]

Kubernetes Flannel Installation with Interface

[crayon-66371b2c38ab3682811249/]

Get deployment logs

[crayon-66371b2c38ab6321027909/]

[crayon-66371b2c38ab8616273997/]

KEY Command lines

[crayon-66371b2c38aba487456458/]

Look more Example Files :

github.com/flannel-io/flannel/issues/620

kubernetes-install-flannel-kutayzorlu.com

rancher.com/docs/k3s/latest/en/installation/install-options/server-config/#agent-networking # Command line arguments

Linux Networking

Vpn Server Installation – P2P

Vpn Server Installation – P2P Client

[Centos Bridge](#)

[Service Creation](#)

[Netfilter Mod](#)

—

—

Centos Bridge Network

[crayon-66371b2c38fe3830033665/]

Spring Application Properties Document


[crayon-66371b2c393c2075991262/]

DDL Auto :

1. validate (validate the schema)
2. update (update the schema if are changes)
3. create (create the schema)
4. create-drop (create the schema and drop it at the end)

Keycloak Notes / Server Side Configurations & Client Token

Token Alirken Buna Ihtiyacin oluyor. EGER KEYCLOAK tarafinda, bu ayarlar yapilmissa.



Client need to have the access-type set to confidential and you can see the client Secret in credentials tab

#####


#####



####

####

Redis Project Use Cases

ha





a

b

c

d

e

f
